



A LEGACY OF DEDICATION

EAM Worldwide was founded by Samuel Oroshnik, who was an aviation enthusiast since his teenage years. He took his passion for flying and turned it into a business to serve the unmet needs of the aviation industry. As a one-man shop, Oroshnik began by selling surplus safety equipment and later designed and built his own life rafts and vests by hand.

Today, EAM serves all OEM's, operators and lessors in the aviation and marine industries worldwide. Celebrating over 65 years as an industry leader, EAM continues to offer lightweight, innovative products which are customizable to meet clients' specific needs. Our dedicated team of specialized engineers continues to discover and design new applications in safety and survival technology year after year. EAM is also proud to support over 30 distribution centers and repair stations to ensure the optimal maintenance and performance of its products. EAM Worldwide proudly serves clients around the world with its headquarters in Miami, Florida and global sales office in Dubai, United Arab Emirates.

OUR PRODUCTS

This raft catalogue provides survival safety solutions for our commercial aviation clients. EAM's life raft series is self-inflating and intended for use by aircraft crew members and passengers during overwater emergencies. They are designed to provide safe, rapid and reliable means for aircraft egress in case of such an emergency. In addition to its standard packaging option, EAM is proud to offer customizable raft packaging to meet any client's specifications.

COMMERCIAL LIFE RAFT SERIES

Each product is manufactured with the highest quality craftsmanship and are proudly FAA-TSO approved. When deployed and in water, the raft may be boarded on either side. Raft accessories are contained in an accessories case tied to the raft. An accessories case is pulled into the raft by occupants subsequent to boarding. The fabric deck is equipped with an inflatable center float to provide additional flotation support. The center float is to be inflated by occupants using the hand pump supplied with the raft equipment. The raft canopy, located inside accessories case, features two (2) roll-up doors and a rain water collector in the top of the roof panel.

Please call our offices or visit eamworldwide.com for more detailed information.

APPROVALS Type - Approval

FAA TSO-C70a, Type I CAA No. 98-3, ANO JCAB No. 582 LBA No. 40.320/16

RAFT CHARACTERISTICS

- 25-person Raft •
- Twin Tube, Reversible
 - Rated Capacity 25 •
 - Overload Capacity 37 •





T25 LIFE RAFT - Standard Canopy



T25 LIFE RAFT - Reflecive Canopy





T56 LIFE RAFT



APPROVALS

Type - Approval

FAA TSO-C70a, Type I JCAB No. 610

T56 CHARACTERISTICS

- 56-person Raft •
- Twin Tube, Reversible
 - Air Aspirated •
 - Rated Capacity 56 •
- Overload Capacity 84 •



COMMERCIAL AVIATION LIFE RAFT SERIES

RAFT SPECIFICATIONS

	T56	T46	T36	T32	T25	T12	T6A
Rated Capacity	56 Person	46 Person	36 Person	32 Person	25 Person	12 Person	6 Person
Overload Capacity	84 Person	69 Person	54 Person	48 Person	37 Person	18 Person	9 Person
Total Tube Buoyancy	9,968 lb (4521.41 kg)	9,422 lb (4273 kg)	6,493 lb (2945 kg)	5,440 lb (2,467.5 kg)	4,750 lb (2,154.6 kg)	3,045 lb (1381.2 kg)	1,543 lb (695.8 kg)
Area Per Person (At Rated Capacity)	3.60 ft ² (0.33 m ²)						
Total Deck Area	202 ft ²	166 ft ²	133 ft²	115 ft ²	90 ft ²	43 ft ²	22 ft ²
Inflation Systems	C/4500 psi	S/3000 psi	C/4500 psi	C/4500 psi	C/4500 psi S/838 psi	S/838 psi	C/4500 psi S/838 psi
Foreign Approvals	JCAB	EASA, JCAB CAAC, LBA, CAA			JCAB LBA, CAA	LBA, CAA	JCAB, LBA CAA
- Aspirated Inflation System	YES	YES	YES	NO	YES	NO	NO

SURVIVAL KIT CONTENTS

All rafts come equipped with a standard FAR Survival Kit. Kits may be customized to meet regulatory requirements. Whistle Survival Manual Mini Flash Light Signal Mirror Assembly Dye Marker Assembly Utility Knife Assembly Raft Repair Kit Water Packages First Aid Kit

Flare - Day/Night Sponge Bailing Bucket Raft Manual

SPECIFICATIONS

APPROVALS:

FAA TSO-C70a, Type I

COLORS:

Tube: Yellow / Canopy: Fluorescent Red

SERVICE LIFE:

Indefinite if raft continues to pass periodic maintenance inspection

FREQUENCY OF INSPECTIONS:

1 year or 3 years for composite cylinder models

ENVIRONMENTAL LIMITS:

Temperature

Functional Range: -40° to 140° F (-40° to 60° C) Storage Range: -65° to 160° F (-54° to 71° C)

Humidity

Up to 95% relative humidity

Altitude

-2,000 feet to 45,000 feet above sea level

ALL RAFTS CAN BE CUSTOMIZED WITH:

Emergency Locator Transmitters, Watermakers and Specialized Survival Kits

EAM WORLDWIDE DISTRIBUTORS & REPAIR STATIONS

UNITED STATES

- Anchorage, Alaska Rs + D
- Corona, California **D**
- Brea, California RS
- Van Nuys, California Rs + D
- Fort Lauderdale, Florida p
- Miami, Florida Rs + D
- Riviera Beach, Florida RS
- Atlanta, Georgia Rs + D
- Indianapolis, Indiana RS + D
- Hudson, Michigan RS
- Teterboro, New Jersey Rs
- Bristol, Pennsylvania **D**
- Carrollton, Texas Rs
- Dallas, Texas Rs + D
- Forney, Texas Rs + D
- Humble, Texas Rs + D

CANADA

- Burnaby, British Columbia RS
- Delta, British Columbia RS
- Dartmouth, Nova Scotia Rs + D
- Hawkesbury, Ontario Rs + D

CARIBBEAN

• San Juan, Puerto Rico Rs

MEXICO

• Mexico City, Mexico Rs

SOUTH AMERICA

- Sao Paulo, Brazil Rs
- Charallave, Venezuela RS

AUSTRALASIA

- Brisbane, Australia Rs + D
- Auckland, New Zealand RS
- Wellington, New Zealand **D**

MIDDLE EAST

• Abu Dhabi, U.A.E. RS

ASIA

- Shanghai, China RS
- Guangzhou, China ɒ
- Tokyo, Japan Rs + D
- Singapore, Singapore Rs + D

EUROPE

- Copenhagen, Denmark **D**
- Paris, France Rs + D
- Frankfurt, Germany Rs
- Russelshem, Germany Rs
- Rome, Italy Rs + D
- Madrid, Spain Rs
- Essex, United Kingdom Rs

PLEASE VISIT WWW.EAMWORLDWIDE.COM FOR MORE INFORMATION & UPDATES

RS - REPAIR STATION / D - DISTRIBUTOR



INNOVATIVE SURVIVAL GEAR, CRAFTED FROM EXPERIENCE

FOR MORE INFORMATION
ON **EAM WORLDWIDE**

WWW.EAMWORLDWIDE.COM

USA HEADQUARTERS

5502 NW 37TH AVENUE
MIAMI, FLORIDA 33142 USA
MAIN +305.871.4050 FAX +305.637.8632

GLOBAL SALES OFFICE

BUSINESS CENTRAL TOWERS, 1504A
SHEIKH ZAYED ROAD, DUBAI, UAE
MAIN +971.4.375.3471 FAX +971.4.439.3590